

Using the Mineraluxe System Kit

(these products are included in your kit)

Step 1: Mineraluxe Advance Sticks

- **Mineraluxe Advance Sticks are to be applied every second week:**

Apply 1 Mineraluxe Advance Stick per 20,000 litres of pool water.

- Always apply directly into the skimmer basket with the pump operating.
- For smaller volume pools (<20,000 litres) and volumes that don't equate to 20,000 litre increments, modify the dosage to achieve the desired application of 1 stick per 20,000 litres every two weeks.
- Alternatively, Mineraluxe Advance Sticks can be applied weekly. Initially, apply 1 stick per 20,000 litres. Every week thereafter, add 1 stick per 40,000 litres.
- Remove the plastic wrap and always apply a complete Advance Stick. Avoid breaking the sticks and only applying portions.

Step 2: Mineraluxe Oxygen

- **Immediately after the addition of the Mineraluxe Advance Sticks:**

Apply 1 pouch of Mineraluxe Oxygen per 40,000 litres of pool water.

- Cut the top of the pouch with scissors and sprinkle into the water with the pump running.
- Apply the product around the edges of the deep end, if possible.
- Circulate water and leave any cover off for a minimum of 1 hour.

Step 3: Mineraluxe Sanitizer Sticks

- **Apply Mineraluxe Sanitizer Sticks to maintain a consistent chlorine residual of 1–3 ppm.**
- **Usage should approximate 1 Sanitizer Stick per 40,000 litres per week**
 - Test your chlorine level with a reliable test kit and adjust application frequency to achieve the recommended level.
 - Mineraluxe Sanitizer Sticks can be added to a chlorinator, skimmer, floating dispenser or other flow control method and allowed to slowly dissolve, adding a controlled amount of sanitizer to the water.

Step 4: Bonus – Jack's Magic Super Pacs

- Each Super Pac will treat up to 80,000 litres for a two week period
 - Apply by placing in the skimmer basket
 - The wrap is a water soluble film that will totally dissolve leaving no residue or trace.



DML00602

Helpful Tips:

Prior to Using Mineraluxe for the First Time:

- **Properly balance pool water.** Specifically, balance Total Alkalinity, pH, Calcium Hardness and Stabilizer to desired levels. Rely on your **Mineraluxe Retailer** for professional water testing and expert advice.

When Using Mineraluxe:

- **3 - 5 Days Following Initial Conversion to Mineraluxe: Deep Cleanse the Filter.** Use Dazzle Rapid Action Filter Cleanse and follow label directions.
- **Maintain proper water balance** by testing and adjusting pH regularly. Use a reliable testing method that you have confidence in. Total Alkalinity and Calcium Hardness should be tested monthly. Consult your Mineraluxe retailer for advice.
- **Maintain a chlorine level of 1 - 3 ppm.** Use a reliable testing method and adjust number of Mineraluxe Sanitizer Sticks to maintain an adequate sanitizer level. Sanitizer requirements may vary based on water temperature, swimmer load and water balance parameters.

Due to the intense biofilm and scale removing properties of the **Mineraluxe System**, you may see some cleansing of the piping and pool surfaces, resulting in debris back into your pool water that was previously attached. This usually happens within the first few days of use. Should this be observed, continue to operate your pool normally. If the water loses clarity, apply a shock treatment and it will clear after a short period of time (1 – 3 days). Test your pH and sanitizer levels daily during this time and adjust if not within the recommended ranges.

